### BJCL / BHILAI /ENV./ 315

To

The Regional Director Ministry of Environment & Forests Regional Office, (WZ), E-5, Kendriya Paryavaran Bhawan E-5, Arera Colony, Link Road -3, Ravishankar Nagar, Bhopal (M.P)-462016

#### Sub:- Compliance Status Report of E.C. for the period of April, 2015 to September, 2015 Granted by MoEF.

#### Ref:- i) Letter No.J-11011/1001/2007- I A II ( I ) Dated 01-05-2008. ii) Letter No.J-11011/1001/2007- | A II ( | ) Dated 19-04-2012.

Dear Sir.

Please find enclosed herewith the compliance Status to the condition laid down in the Environmental Clearance granted by MoEF, New Delhi.

Thanking You Yours Faithfully

100rylars

A C Srivastava (Unit Head) Authorized Signatory For Bhilai Jaypee Grinding Plant, Bhilai ( A Unit of Bhilai Jaypee Cement Limited ) The Chairman CC. For kind information pl. Central Pollution Control Board. CBD-Cum-Office Complex. East Arjun Nagar New Delhi - 110032 CC The Member Secretary For kind information pl. Chhattisgarh Environment Conservation Board Kabir Nagar, Commercial Complex Chhattisgarh Housing Board Colony Kabir Nagar RAIPUR (CG) - 492099 CC The Chief Conservator of Forest For kind information pl. Regional Office, (WZ) E-5, Kendriya Paryavaran Bhavan, E-5, Arera Colony, Link Road- 3, Bhopal (MP) 462016 CC. The Zonal Officer For kind information pl. Central Pollution Control Board, Sahakar Bhawan, III Floor, North TT Nagar, BHOPAL- 462003 CC **Regional Officer** For kind information pl. Regional Office, C.E. Conservation Board, Bhilai, Durg (CG) ग्नित्रण संरक्षण मण्डल Plant : BSP Premises, Slag Yard Road (Opp. Sector-4, NM Distt.-Durg(Chhattisgarh) Exchange-0788-4022255/56/7190368-4 Regd. Office : Post Babupur, Satna (M.P.) Pin - 485112 Ph. :+91(7672) 415500L 41 Head Office : 'JA House', 63 Basant Lok, Vasant Vihar, New Delhi - 110 057 (India) Ph.: +91 (11) 26141540, 26147411 Fax: +91 (11) 26145389, 26143591 GROU A JV of SAIL & JAIPRAKASH ASSOCIATES LIMITED

ILAL JAY CEMENT LIMITE

Dated 9th November, 2015

# क्षेत्रीय कार्यालय



Name of the Project	:	BHILAI JAYPEE GRINDING PLANT (A UNIT OF BHILAI JAYPEE CEMENT LTD. ) BHILAI STEEL PLANT PREMISES, BHILAI, DURG, (CHHATTISGARH)
Project Code	:	-
Clearance Letter No	:	F. No. J-11011/1001/2007-IA II (I) DATED 01-05-2008
Period of Compliance Rep		

## 1. Specific Conditions

SI. No.		Compliance Status						
i	<ul> <li>On-line continuous stack monitoring facilities for all the stacks and adequate air pollution control systems shall be provided. Cement grinding shall be carried out in closed cement mill and shall have highly efficient bag filters. The stack emissions from various sources shall not exceed 50 mg/Nm3. Data to be submitted to the Ministry's Regional Office half yearly, CPCB and CECB quarterly</li> <li>Continuous On –line Stack Monitoring system (Opacity Meter) has been installed in major stacks. Continuous Emission Monitoring System (CEMS) has been installed in major stacks. Continuous Emission Monitoring System (CEMS) has been installed in Ministry's Regional Office half yearly, CPCB and CECB quarterly</li> </ul>							
ii	The gaseous emissions (SPM, SO2, NOX, CO) and particulate matter from various units shall conform to the standards prescribed by the Chhattisgarh Environment Conservation Board (CECB). Bag House to collect fine dust from cyclones, jet pulse filters shall be provided at the transfer points. At no time, particulate emissions from	This is only various units standards pr Conservation Bag House/ I	a cement grinding	unit. The gaseous d regularly and the report is submitted arly. fine dust at all transions data is within r No.1	and particulate m and particulate m and monitoring resident to the Chhatt ansfer points, etc. is prescribed norms	natter emission from ults conform to the isgarh Environment		
	the grinding unit shall exceed 50 mg/Nm3. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working,	house Cement mill No 1 & 2	filter No-1	Stack of packing plant bag filter No-2	Stack of packing plant bag filter No3	<ul> <li>Stack of packing plant bag filter No-4</li> </ul>		
		21.0	18.0	16.8	17.5	17.0		

R

Page | 1

F	the respective unit (s) is shut down automatical	ly All major pollution sector
ii	<ul> <li>(AAQMS) shall be set up in the down with direction as well as where maximum ground level concentration of SPM, SO2 and NOx a anticipated as per statutory requirement consultation with the Chhattisgarh Environment Conservation Board (CECB).</li> <li>Ambient air emissions shall not exceed the standards stipulated under EPA or by the State authorities.</li> <li>Monitoring of ambient air quality shall be carried out regularly in consultation with CECI and Data submitted to the Minister in Paint</li> </ul>	AAQMS have been installed as advised in four directions at four locations as per statuto requirement in consultation with CECB. The AAQ results are found within the prescribed norms. Air quality monitoring data is being submitted regularly to RO, MoEF, CECB and SPCB and per the schedule specified.
iv	Office half-yearly, CPCB and CECB quarterly. Secondary fugitive emissions shall be controlled and shall be within the prescribed limits and regularly monitored. Guidelines / Code of Practice issued by the CPCB in this regard shall be followed. The fugitive emissions shall be suitably controlled by installing adequate dust collection and extraction system during loading and unloading points and at all the transfer points. Fugitive emissions shall also be controlled by providing silos and closed roof sheds for raw materials and product. Water sprinkling arrangement shall be made in the raw material stock yard and cement bag loading areas.	<ul> <li>Secondary fugitive emissions are controlled as per CPCB guidelines/code of practice. For controlling secondary fugitive emissions:</li> <li>34 nos. of Bag House / Bag Filters have been installed at loading/ unloading points and at all the material transfer points.</li> <li>Water sprinkling arrangement loading.</li> </ul>
- 1	Total water requirement from SAIL shall not exceed 150 m <sup>3</sup> /hr. Treated waste water shall be recycled and reused in the process, dust suppression and Green Belt Development	The quantity of domestic waste water generated from the Plant is very negligible and the common facility of Bhilai Steel Plant Sewage Treatment Plant (STP) is used. In operational phase, entire waste water is being re-used and recycled from cooling tower. The plant is thus operating on "Zero effluent discharge" philosophy. The Data of water consumption taken from SAIL is given below-

	Domestic wastewater shall be treated in Sewage Treatment Plant (STP) and used for Green Belt Development.		Total Quantity in m <sup>3</sup> /month	Quantity in m <sup>3</sup> /day	Quantity in m³/h							
	No Effluent shall be discharged outside the factory premises and 'Zero discharge' shall be strictly followed.		5048	166	7							
vi	No surface or ground water shall be used. In case of any change in source of water necessary	, contract outing	ce water is use	ed. Our wat	er requirement i	s met from SAIL Supply						
vii	All the cement dust collected from pollution control devices like bag house, bag filters etc. shall be recycled and reused in the process and used for cement manufacturing.The unit is designed for close circuit cement mill grinding operations and all the cement dust collected from pollution control devices like bag house, bag filters etc. is being recycled and reused in the process and used for cement manufacturing.STP sludge shall be used as manure. Waste oil shall be sold to the authorized recyclers/ re-processors only.The unit is designed for close circuit cement mill grinding operations and all the cement dust reused in the process and used for cement manufacturing. Not applicable, as we do not have any STP Hazardous Waste Authorization obtained from CECB vide letter No.4171 / H.O./ HSMD / CECB / Raipur dated 06-11-2012, valid till November, 2017 for sale of used oil to the authorized recyclers/ re-processors only.											
viii	An effort shall be made to use of high calorific hazardous waste in the cement kiln and necessary provisions shall be made accordingly.	Not applicable, as this is only a stand-alone cement grinding unit and no cement Kiln has been installed for pyro-processing.										
ix	As proposed, green belt shall be developed in 4.62 ha. (33 %) out of total 14 ha. area to reduce impacts of fugitive emissions. Central Pollution Control Board (CPCB) guidelines shall be followed in planning and developing green belt and selection of species etc.	Green belt has been planned to be developed in 33% area as per the CPCB guidelines. Further development plan has been taken up during this monsoon season and works is going on in the site for plantation of various local species. We have planted and developed about 9980 plants in about 4.06 ha area till date which is 29% of the total area.										
x	Other necessary statutory clearances from other concerned Departments including 'No Objection D Certificate' from the Chhattisgarh Environment Conservation Board (CECB) shall be obtained prior to commencement of construction and/or	08.10.2008. Consent to Operate from the operate of constant of constant.	ne Chhattisga	rh Environm	ent Conservation	No Objection Certificate' (NOC) for construction was obtained from the Chhattisgarh						

	All the recommendations mentioned in the Corporate Responsibility for Environmental Protection (CREP) guidelines shall be strictly followed and complied.	All relevant CREP guidelines are being followed
--	--	---

## 2. General Conditions:

Sl. No.	Conditions	Compliance Status
i	The Project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.	Board (CECB) was obtained before start of operation. Subsequently consent renewals are regularly being obtained from CECB after due
ii	No further expansion or modifications in the Plant should be carried out without prior approval of the Ministry of Environment & Forests.	Noted and Agreed
iii	At least four Ambient air quality monitoring stations (AAQMS) should be established in the downward direction as well as where maximum ground level concentration of SPM, SO2 and NOx are anticipated in consultation with the Chhattisgarh Environment Conservation Board (CECB). Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhopal and the CECB / CPCB once in six months.	Ambient Air quality monitoring Station has been established in four directions in consultation with CECB considering wind rose pattern and other consideration of the location as per CPCB guidelines. Periodic monitoring is being carried out and the data are regularly submitted to all the concerned authorities.
v	Industrial Wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time.	No industrial wastewater is generated, as this is a standalone cement grinding unit, hence not applicable.
	The overall noise levels in and around the Plant areas shall be kept well within the standards (85 dbA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA rules, 1989 viz. 75 dBA (day time)	Noise level in and around plant is maintained within the prescribed norms under EPA rules. Noise control measures including silencers, enclosures etc. have been provided on all sources of noise generation. Moreover adequate green belt is being developed to mitigate the noise levels in surrounding areas. Monitoring of noise levels is carried out periodically as per guidelines and reports are being submitted to

	and 70 dBA ( night time).	CEO	CB regularly.								Torrado P
		The Average noise level at various locations within the plant premise are given below:									
				Swite	ch Yard	Coa	l Yard	Wago	on Tippler	Auto V	Vork Shop
				Day	Night	Day	Night	Day	Night	Day	Night
vi	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA / EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	Average-dB(A) 60 58 61 58 62 all the All the environmental protection measure recommended in the EIA / EMP report are com Socio economic development activities are o company in surrounding villages. (Providing construction / Repairing and maintenance	compli- ince car ince c Health essing c ch pro- p-liftm flag da ing Eye o Dist	ried FOC of scl of play vided ent of y com e hosp t hosp	out by the Cement of Cement of Cement of Cement of Cements of Ceme						
The project Authorities shall provide Rs. 1,515 Lakhs and Rs. 70 Lakhs towards total capital cost and recurring cost/annum for environmental pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government and an implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of this Ministry at Bhopal. The funds so provided shall not be diverted for any other purpose.			has b ecurr have prove l for a belt de	een co ing co been i ment any ot evelop	ereate ost of instal activ her p oment	d exc f Env led at rities. urpos t durin	elusiv ironn site a The e. Ab ng Ap	ely ean nental and oth funds out 4.7 ril-15 t	rmarke polluti er env so pro 2 lakh o Sept	ed toward on contro ironmenta ovided ar s has bee ember-15	
iii	CECB will monitor the stipulated conditions. A six	nongv	Monthly con with the mo nal Office Mo	nitore	ed aan	ta ar	e hei	no s	ubmitte	EC ed reg	conditions gularly to

	with statistical interpretation shall be submitted to them regularly.	
ix	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the CECB and may also seen at website of the Ministry of Environment and forest at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter ,at least in two local news papers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the Regional Office at Bhopal.	The advertisement for clearance granted by MoEF New Delhi has already been published in two local News papers on Date 08-05-2008 Copy already submitted in the previous compliance report.
x	The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Financial closures date is 8th May, 2008 and land development work was commenced on 16th May, 2009. The plant has commenced trial operations on 21st June 2010. Information in this regard has already been submitted to R.O. and Member Secretary, Chhattisgarh Board vide our letter No.BJC / Bhilai / 03 dated 13th July 2010.

4

Name of the Project

# BHILAI JAYPEE GRINDING PLANT (A UNIT OF BHILAI JAYPEE CEMENT LTD.) BHILAI STEEL PLANT PREMISES, BHILAI, DURG, (CHHATTISGARH)

**Project Code** 

**Clearance Letter No** 

: F. NO. J-11011/1001/2007-IA II (I) DATED 19-04-2012

Period of Compliance Report:

- 1

:

April-2015 to September-2015

1Additional Conditions:

SI. No.	D i li i	Status
4 i	The National Ambient Air Quality Standards issued by the Ministry shall be followed	Regular monitoring of the Ambient Air Quality (AAQ) is carried out at
ii	The project proponent shall submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitoring data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF, the respective Zonal Office of CPCP and the CPCP.	Air Quality Standards are strictly being followed. Six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitoring data are regularly being submitted both in hard copies as well as by e-mail. The additional conditions specified in the amendment in the EC issued by the
iii	ending 31st March in Form - V as is mandated to be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986 shall also be put on the website of the company along with the status of	MoEF on19/04/2012, for PPC production is also incorporated herewith. Agreed and being complied with. Presently, since only Portland Slag Cement (PSC) is being manufactured, Environmental Statement based on PSC product only is being submitted to the State Pollution Control Board. Any production of PPC shall be taken up on need basis after due compliances of the conditions specified in the amendment in the EC issued by the MoEF on19/04/2012.
v	The Company shall submit within three months their policy towards - Corporate Environmental Responsibility which should interest the structure of the structure	The details pertaining to all the issues are incorporated in 'System of ensuring compliances and reporting of non-compliance/violation of Environmental Norms' attached as <u>Annexure-I.</u>

	<ul> <li>into focus any infringement / deviation / violation of environmental or forest norms/conditions.</li> <li>(ii) Hierarchical system or Administrative order of the company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and</li> <li>(iii) System of reporting of non compliance / violation environmental norms to the Board of Directors of the company and / stakeholders or shareholders.</li> </ul>	
5	The company shall comply with all the conditions stipulated vide letter of even no. dated 1-5-2008.	Compliance reports are regularly being submitted with all the conditions stipulated vide letter of even no. dated 1-5-2008.

NOTE;- Still we are Manufacturing only Portland Slag Cement (PSC). Manufacturing of PPC (Portland Pozzolana Cement) is on need basis. Due to less market demand the manufacturing of the same (PPC) is not required presently.

Annexure- I

### SYSTEM OF ENSURING COMPLIANCES AND REPORTING OF NON-COMPLIANCE/ VIOLATION OF ENVIRONMENTAL NORMS TO THE BOARD

At all units of Jaypee Cement, the Environment Management Cell (EMC), headed by Vice President/General Manager and supported by a well equipped Environmental Monitoring Laboratory is having qualified & well experienced team of Environmental Engineers/ Scientists. EMC is responsible for the day to day activities related to the monitoring of environmental parameters, compliances of general and specific conditions of Environmental Clearance, maintaining records, data compilation and analysis, obtaining consents, authorization and other statutory permissions of Hazardous Wastes, ground water withdrawal etc. Any noncompliance/ violation of the environment norms are immediately reported to the unit Head, who is directly responsible to the compliances as per the law.

For the internal surveillance of the compliances and to provide technical support in resolving the environmental issues, the company adopts two tier approach, one at Zonal Level and other at the Corporate level to ensure that the units conform to the environmental standards and all other compliances, prescribed by the SPCB/ MoEF/ CPCB.

In case, any minor violation of advisory nature is observed during inspection by the SPCB/CPCB/ MoEF official(s) and communicated in writing to the plant, it will immediately be reported to the Unit Head and will be rectified through concerned departmental head. In case of major non compliance/ violation of the environmental norms or any Notice/ Direction under Section 31 A of the Air (Prevention and Control of Pollution) Act 1981 under Section 33 A of the Water (Prevention and Control of Pollution) Act 1974 under Section 5 of the Environment (Protection) Act 1986 received, is immediately reported by the Head, EMC to the Unit Head, Zonal Environmental Head, President/ Head Corporate Environment group. President / Head Corporate Environment group. He is fully responsible for the implementation of all the decisions of the Board, related to the statutory compliances to the environmental regulation and overall improvement of the green image of corporate environment.