To

Regional Director
Ministry of Environment &Forests
Regional Office, (WZ),
E-5, Kendriya Paryavaran Bhawan
E-5, Arera Colony, Link Road -3,
Ravishankar Nagar,
Bhopal (M.P)-462016

Sub: Six Monthly Stack and Ambient Air monitoring Report.

Ref: Letter No.F. NO. J.11011/1001/2007-I A II (I) dtd.01-05-2008.

Dear Sir,

We are herewith submitting the Six Monthly test report of Stack and Ambient air quality for the month from **April**, **2015 to September**, **2015** as annexure 1 & 2.

Thanking You

Yours Faithfully

A.C. Srivastava (Unit Head)

Authorized Signatory

For Bhilai Jaypee Grinding Plant, Bhilai (A Unit of Bhilai Jaypee Cement Limited)

CC The Zonal Officer,
Central Pollution Control Board,
Sahakar Bhawan, III Floor
North TT Nagar
BHOPAL-462003

- For kind information pl.

CC Regional Officer,
Regional Office,
C.E. Conservation Board

- For kind information pl.

Bhilai, Durg (CG)

OCC Hosail

पहिला कार्यालय अलीमाड पर्वावरण संरक्षण मण्डल अलीमाड पर्वावरण संरक्षण मण्डल

Bhilai Jaypee Grinding Plant, Bhilai (A Unit of Bhilai Jaypee Cement Limited)

Annexure-1

STACK MONITORING RESULTS FOR THE PERIOD FROM (APRIL, 2015 to SEPTEMBER, 2015)

Month	Characteristics	Unit	Limit	Stack of bag house Cement mill No1 & 2	Packer No.1		Packer No.2	
					Stack of packing plant bag filter No-1	Stack of packing plant bag filter No-2	Stack of packing plant bag filter No3	Stack of packing plant bag filter No-4
Apr.15	Particulate Matter	Mg/Nm ³	50	18.7	18.0	17.5	17.9	17.3
May.15	-	-	-	20.3	18.4	18.0	17.7	17.3
Jun.15	-	-	-	19.4	17.8	18.0	16.8	17.7
Jul. 15	-	-	-	22.1	17.7	16.9	16.7	16.9
Aug. 15	-	-	-	22.0	17.8	15.1	17.0	16.4
Sep. 15	-	-	-	23.2	18.0	15.5	18.9	16.4
	MINIMUM			18.7	17.7	15.1	16.7	16.4
	MAXIMUM			23.2	18.4	18	18.9	17.7
	AVERAGE		50	21.0	18.0	16.8	17.5	17.0

Sr. Officer (Environment)

		DUII	AI JAYPEE	GRINDING	G PLANT		Annexure-2
					~ \		OFFICMBER 2045
4 5 4 5	BIENT AIR QUALITY M	IONITORING	RESULTS F	OR THE PE	RIOD FROM	1 APRIL,2015, to	SEPTEMBER, 2015
		SO ₂	NOx	PM 2.5	PM- 10		Remarks
Month	Particulars	(µg/M ³)	(µg/M³)	(µg/M³)	(µg/M ³)	(µg/M³)	
	Sampling Location		23.0	19.0	70.0	228	
Apr.2015	Switch Yard	7.0	22.8	20.8	70.0	225	
	Coal Yard	7.1		26.2	76.0	313	
	Wagon Tippler	7.6	24.8	31.2	79.7	301	
	Auto Work Shop	7.6	25.1		67.1	233	
May.2015	Switch Yard	6.2	20.9	18.6	69.6	228	
J	Coal Yard	6.6	21.0	23.8		298	
	Wagon Tippler	6.6	22.3	29.0	70.9	264	
	Auto Work Shop	6.9	23.1	32.9	76.2	175	
June.2015	Switch Yard	6.4	20.8	20.1	56.0	1/	1/8/2
June.2015	Coal Yard	6.7	21.5	25.7	64.3	212	1 1
	Wagon Tippler	6.9	22.3	27.5	63.8	267	1
	Auto Work Shop	7.5	24.6	33.7	59.4	257	
July.2015	Switch Yard	5.9	19.8	18.1	51.8	165	
July.2013	Coal Yard	6.0	19.8	19.1	48.9	168	100000
	Wagon Tippler	6.4	20.5	22.0	57.9	231	
	Auto Work Shop	6.3	21.6	27.3	61.4	140	
Aug.2015	Switch Yard	6.1	18.3	17.0	48.9	157	1/8
Trug.Zoro	Coal Yard	6.2	19.3	18.2	47.1	158	
	Wagon Tippler	6.5	22.0	20.6	51.9	169	A STATE OF THE STA
	Auto Work Shop	6.4	19.1	18.1	52.8	159	13/4/4
Sep.2015	Switch Yard	5.7	17.7	21.9	53.8	180	
	Coal Yard	5.7	18.2	17.7	52.6	231	
	Wagon Tippler	6.5	20.1	25.0	68.2	188	
	Auto Work Shop	6.2	18.1	18.9	60.7	100	

Note: All values are Average value of the month

Sr. Officer (Environment)

Sr. Manager (P & QC)