BJCL / BHILAI /ENV./ 414

To

The Regional Director Ministry of Environment Forests & Climate Change Regional Office, (WZ), E-5, Kendriya Paryavaran Bhawan E-5, Arera Colony, Link Road -3,Ravishankar Nagar, Bhopal (M.P)-462016

Sub:- Compliance Status Report of E.C. for the period of October, 2016 to March, 2017 Granted by MoEF.

Ref:- i) Letter No.J-11011/1001/2007- I A II (I) Dated 01-05-2008. ii) Letter No.J-11011/1001/2007- I A II (I) Dated 19-04-2012.

Dear Sir,

Please find enclosed herewith the compliance Status for the period of October, 2016 to March, 2017 to the condition laid down in the Environmental Clearance granted by MoEFCC, New Delhi.

Thanking You Yours Faithfully

Bhil

Niraj Shrivastava (Unit Head) <u>Authorized Signatory</u> For Bhilai Jaypee Grinding Plant, Bhilai (A Unit of Bhilai Jaypee Cement Limited)

- CC. The Chairman Central Pollution Control Board, CBD-Cum-Office Complex. East Arjun Nagar <u>New Delhi – 110032</u> CC The Member Secretary
- Chhattisgarh Environment Conservation Board Paryavas Bhavan, North Block, Sector-19 Naya Raipur (CG) - 490099
- CC The Chief Conservator of Forest Regional Office, (WZ) E-5, Kendriya Paryavaran Bhavan, , E-5, Arera Colony, Link Road- 3, Bhopal (MP) 462016
- CC. The Zonal Officer Central Pollution Control Board, Sahakar Bhawan, III Floor, North TT Nagar, BHOPAL- 462003
- CC The Regional Officer Regional Office, C.E. Conservation Board, Bhilai, Durg (CG)



For kind information pl.

OIC 1 fre

Name of the Project

BHILAI JAYPEE GRINDING PLANT (A UNIT OF BHILAI JAYPEE CEMENT LTD.) BHILAI STEEL PLANT PREMISES, BHILAI, DURG, (CHHATTISGARH)

Project Code

Clearance Letter No : F. No. J-11011/1001/2007-IA II (I) DATED 01-05-2008

Period of Compliance Report : October-2016 to March-2017

1 -

:

1. Specific Conditions

Sl. No.	Conditions	Compliance Status
i	On-line continuous stack monitoring facilities for all the stacks and adequate air pollution control systems shall be provided. Cement grinding shall be carried out in closed cement mill and shall have highly efficient bag filters. The stack emissions from various sources shall not exceed 50 mg/Nm3. Data to be submitted to the Ministry's Regional Office half yearly, CPCB and CECB quarterly	Continuous On –line Stack Monitoring system (Opacity Meter) has been installed in all major stacks. Continuous Emission Monitoring System (CEMS) has been installed in main mill stack which is connected with CPCB server. Adequate Bag House/ Bag filters have been installed as air pollution control system in closed cement mill grinding operations. Stack emission monitoring is periodically carried out, and the results are within prescribed norms of 50 mg/Nm3 (Max). Monitoring data of Stack and Ambient Air quality for the period October-2016 to March. 2017 is being periodically submitted to RO- MoEF. CPCB and SPCB.
ij	The gaseous emissions (SPM, SO2, NOX, CO) and particulate matter from various units shall conform to the standards prescribed by the Chhattisgarh Environment Conservation Board (CECB). Bag House to collect fine dust from cyclones, jet pulse filters shall be provided at the transfer points. At no time, particulate emissions from the grinding unit shall exceed 50 mg/Nm3. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working.	This is only a cement grinding unit. The gaseous and particulate matter emission from various units is being monitored regularly and the monitoring results conform to the standards prescribed. Monthly report is submitted to the Chhattisgarh Environment Conservation Board (CECB) regularly. Bag House/ Bag filters to collect fine dust at all transfer points, etc. is installed to control fugitive emissions. The stack emissions data is within prescribed norms of 50 mg/Nm3. The data of stack monitoring during the period of October-2016 to March-2017 is given below

	the respective unit (s) is shut down automatically	Avg. reading Mg/Nm3	Packer	No.1	Pack	er No.2
		Stack of bag house Cement mill No 1 & 2	Stack of packing plant bag filter No-1	Stack of packing plant bag filter No-2	Stack of packing plant bag filter No3	Stack of packing plant bag filter No-4
		24.2	17.3	. 16.7	Plant stopped	Plant stopped
	Ambient air quality monitoring stations	All major pol	ution control equipm	ents are interlocke	ed with main proces	s equipmente
	Ambient air quality monitoring stations (AAQMS) shall be set up in the down wind direction as well as where maximum ground level concentration of SPM, SO2 and NOx are anticipated as per statutory requirement in consultation with the Chhattisgarh Environment Conservation Board (CECB). Ambient air emissions shall not exceed the standards stipulated under EPA or by the State authorities. Monitoring of ambient air quality shall be carried out regularly in consultation with CECB and Data submitted to the Ministry's Regional Office half-yearly, CPCB and CECB quarterly.	The AAQ resu	e been installed as ac a consultation with C alts are found within pnitoring data is bein de specified.	ECB. the prescribed nor	ms.	
X	Secondary fugitive emissions shall be controlled	 34 nos. of at all the m. Water sprin Covered co All internal 	itive emissions are c ondary fugitive emiss Bag House / Bag Fili aterial transfer points kling arrangement ha nveyor belts are used roads within the plan keeping practices are	sions: ters have been ins as been provided a l for transportation it premises have b	talled at loading/ un t strategic points, of raw materials, et cen concreted	nloading points and

-	loading areas.						
v	 Total water requirement from SAIL shall not exceed 150 m³/hr. Treated waste water shall be recycled and reused in the process, dust suppression and Green Belt Development. Domestic wastewater shall be treated in Sewage Treatment Plant (STP) and used for Green Belt 	common facili In operational The plant is th	ity of Bhila phase, ent us operatir water cons	i Steel Plant ? ire waste wa g on "Zero el umption take	Sewage Trea ter is being ffluent discha	tment Plant (S re-used and re arge" philosor	ecycled from cooling tower.
	Development. No Effluent shall be discharged outside the			m³/month		4.7	
	factory premises and 'Zero discharge' shall be strictly followed.		Average	3410	112.0	4.7	
vi	No surface or ground water shall be used. In case of any change in source of water necessary Permission from the concerned department shall be obtained and submitted to the Ministry's Regional Office in Bhopal.	only.				nt is met from SAIL Supply	
vii	All the cement dust collected from pollution control devices like bag house, bag filters etc. shall be recycled and reused in the process and used for cement manufacturing. STP sludge shall be used as manure. Waste oil shall be sold to the authorized recyclers/ re-processors only.	The unit is designed for close circuit cement mill grinding operations and all the cement dust collected from pollution control devices like bag house, bag filters etc. is being recycled and reused in the process and used for cement manufacturing. Not applicable, as we do not have any STP Hazardous Waste Authorization obtained from CECB vide letter No.4171 / H.O./ HSMD / CECB / Raipur dated 06-11-2012, valid till November, 2017 for sale of used oil to the authorized recyclers/ re-processors only.					
viii	An effort shall be made to use of high calorific hazardous waste in the cement kiln and necessary provisions shall be made accordingly.	Not applicable, as this is only a stand-alone cement grinding unit and no cement Kiln has been installed for pyro-processing.					
ix	As proposed, green belt shall be developed in 4.62 ha, (33 %) out of total 14 ha, area to reduce impacts of fugitive emissions. Central Pollution Control Board (CPCB) guidelines shall be followed in planning and developing green belt and selection of species etc.	Further develo on in the site f 10670 plants in	pment plar or plantation about 4.2	n has been tak on of various 4 ha area till o	en up during local specie date which is	this monsooi s. We have p 30.28 % of th	
х	Other necessary statutory clearances from other	No Objection	Certificate	e' (NOC) for	· constructio	n was obtair	ned from the Chhattisgarh

	Certificate' from the Chhattisgarh Environment Conservation Board (CECB) shall be obtained	Environment Conservation Board (CECB) vide ref. No. 5788/TS/CECB/2008 dated 08.10.2008. Consent to Operate from the Chhattisgarh Environment Conservation Board (CECB) was obtained before start of operation. Subsequently consent renewals are regularly being obtained from CECB after due compliance of consent conditions.
xi	All the recommendations mentioned in the Corporate Responsibility for Environmental Protection (CREP) guidelines shall be strictly followed and complied.	All relevant CREP guidelines are being followed

2. General Conditions:

SL No.	Conditions	Compliance Status
i	The Project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.	Consent to Operate from the Chhattisgarh Environment Conservation Board (CECB) was obtained before start of operation. Subsequently consent renewals are regularly being obtained from CECB after due compliance of consent conditions.
ii	No further expansion or modifications in the Plant should be carried out without prior approval of the Ministry of Environment & Forests.	Noted and Agreed
iii	At least four Ambient air quality monitoring stations (AAQMS) should be established in the downward direction as well as where maximum ground level concentration of SPM, SO2 and NOx are anticipated in consultation with the Chhattisgarh Environment Conservation Board (CECB). Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhopal and the CECB / CPCB once in six months.	Ambient Air quality monitoring Station has been established in four directions in consultation with CECB considering windrose pattern and other consideration of the location as per CPCB guidelines. Periodic monitoring is being carried out and the data are regularly submitted to all the concerned authorities.
iv	Industrial Wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time.	No industrial wastewater is generated, as this is a standalone cement grinding unit, hence not applicable.

The overall noise levels in and around the Plant areas shall be kept well within the standards (85 dbA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

V

Vi

Noise level in and around plant is maintained within the prescribed norms under EPA rules. Noise control measures including silencers, enclosures etc. have been provided on all sources of noise generation. Moreover adequate green belt is being developed to mitigate the noise levels in surrounding areas. Monitoring of noise levels is carried out periodically as per guidelines and reports are being submitted to CECB regularly.

The Average noise level during the period of October-2016 to March-2017 at various locations within the plant premises are given below:

	Switch Yard		Coal Yard		Wagon Tippler		Auto Work Shop	
	Day	Night	Day	Night	Day	Night	Day	Night
Average-dB(A)	62.0	58.5	60.3	58.4	62.9	58.6	61.9	58.1

vi	environmental protection measures and safeguards recommended in the EIA / EMP report. Further, the company must undertake socio-economic	All the environmental protection measures and safeguards recommended in the EIA / EMP report are complied. A number of Socio economic development activities were carried out by the company in surrounding villages since start of plant. (Providing FOC Cement for construction / Repairing and maintenance of schools/public buildings/religious places. etc. Medical Health checkup camps organized in various places. Leveling and dressing of play grounds in the nearby community areas. Wooden Bench provided to Vigyaan Vikas Kendra, Durg, Support provided for up- liftment of sports like volley ball and motor sports in the state. Flag day contribution to district Solders. Welfare contribution to leading Eye hospital. Raipur and also provided Semi Auto Analyzer to Distt hospital Durg. Distribution of Sewing machine & Diaries to local SHG's. Participation in various religious and Cultural activities etc.) Due to financial crunch, plants are running with very less capacity utilization i.e. only 2.5% production due to this no CSR activities done during last year.
vii	The project Authorities shall provide Rs. 1,515 Lakhs and Rs. 70 Lakhs towards total capital cost and recurring	A separate fund has been created exclusively earmarked towards capital cost and recurring cost of Environmental pollution control

	cost/annum for environmental pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government and an implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of this Ministry at Bhopal. The funds so provided shall not be diverted for any other purpose.	equipments which have been installed at site and other environmental protection and improvement activities. The funds so provided are strictly not diverted for any other purpose. About 1.09 lakhs has been used for the green belt development during October-16 to March-17.
viii	The Regional Office of this Ministry at Bhopal / CPCB / CECB will monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	Six Monthly compliance reports of stipulated EC conditions along with the monitored data are being submitted regularly to Regional Office MoEF Bhopal, CPCB /CECB.
ix	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the CECB and may also seen at website of the Ministry of Environment and forest at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter ,at least in two local news papers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the Regional Office at Bhopal.	The advertisement for clearance granted by MoEF New Delhi has already been published in two local News papers on Date 08-05-2008. Copy already submitted in the previous compliance report.
x	The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Financial closures date is 8th May, 2008 and land development work was commenced on 16th May, 2009. The plant has commenced trial operations on 21st June 2010. Information in this regard has already been submitted to R.O. and Member Secretary, Chhattisgarh Board vide our letter No.BJC / Bhilai / 03 dated 13th July 2010.

Name	of	the	Proj	ect	
------	----	-----	------	-----	--

BHILAI JAYPEE GRINDING PLANT (A UNIT OF BHILAI JAYPEE CEMENT LTD.) BHILAI STEEL PLANT PREMISES, BHILAI, DURG, (CHHATTISGARH)

Project Code

Clearance Letter No : F. NO. J-11011/1001/2007-1A II (I) DATED 19-04-2012

Period of Compliance Report: October-2017 to March-2017

3 ...

2

4

1Additional Conditions:

SI. No.	Details of Conditions	Status
4 i	The National Ambient Air Quality Standards issued by the Ministry shall be followed	Regular monitoring of the Ambient Air Quality (AAQ) is carried out at four locations set up in consultation with CECB and the National Ambient Air Quality Standards are strictly being followed.
ii .	The project proponent shall submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitoring data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB.	Six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitoring data are regularly being submitted both in hard copies as well as by e-mail. The additional conditions specified in the amendment in the EC issued by the MoEF on19/04/2012, for PPC production is also incorporated herewith.
iii	The Environmental Statement for each financial year ending 31st March in Form - V as is mandated to be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986 shall also be put on the website of the company along with the status of compliance of the environmental conditions and shall also be sent to the respective Regional Office to the MOEF by e-mail.	Agreed and being complied with. Presently, since only Portland Slag Cement (PSC) is being manufactured. Environmental Statement based on PSC product only is being submitted to the State Pollution Control Board. Any production of PPC shall be taken up on need basis after due compliances of the conditions specified in the amendment in the EC issued by the MoEF on19/04/2012.
iv	The Company shall submit within three months their policy towards Corporate Environmental Responsibility which should inter-alia address (i) Standard Operating Process / procedure to being	The details pertaining to all the issues are incorporated in 'System of ensuring compliances and reporting of non-compliance/violation of Environmental Norms' attached as <u>Annexure-1</u> .

	 into focus any infringement / deviation / violation of environmental or forest norms/conditions. (ii) Hierarchical system or Administrative order of the company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and (iii) System of reporting of non compliance / violation environmental norms to the Board of Directors of the company and / stakeholders or shareholders. 	2 ²
5	The company shall comply with all the conditions stipulated vide letter of even no. dated 1-5-2008.	Compliance reports are regularly being submitted with all the conditions stipulated vide letter of even no. dated 1-5-2008.

NOTE:- Still we are Manufacturing only Portland Slag Cement (PSC). Manufacturing of PPC (Portland Pozzolana Cement) is on need basis. Due to less market demand the manufacturing of the same (PPC) is not required presently.

Annexure-I

SYSTEM OF ENSURING COMPLIANCES AND REPORTING OF NON-COMPLIANCE/ VIOLATION OF ENVIRONMENTAL NORMS TO THE BOARD

At all units of Jaypee Cement, the Environment Management Cell (EMC), headed by Sr. General Manager and supported by a well equipped Environmental Monitoring Laboratory is having qualified & well experienced team of Environmental Engineers/ Scientists. EMC is responsible for the day to day activities related to the monitoring of environmental parameters, compliances of general and specific conditions of Environmental Clearance, maintaining records, data compilation and analysis, obtaining consents, authorization and other statutory permissions of Hazardous Wastes, ground water withdrawal etc. Any non-compliance/ violation of the environment norms are immediately reported to the unit Head, who is directly responsible to the compliances as per the law.

For the internal surveillance of the compliances and to provide technical support in resolving the environmental issues, the company adopts two tier approach, one at Zonal Level and other at the Corporate level to ensure that the units conform to the environmental standards and all other compliances, prescribed by the SPCB/ MoEF/ CPCB.

In case, any minor violation of advisory nature is observed during inspection by the SPCB/CPCB/ MoEF official(s) and communicated in writing to the plant, it will immediately be reported to the Unit Head and will be rectified through concerned departmental head. In case of major non compliance/ violation of the environmental norms or any Notice/ Direction under Section 31 A of the Air (Prevention and Control of Pollution) Act 1981 under Section 33 A of the Water (Prevention and Control of Pollution) Act 1974 under Section 5 of the Environment (Protection) Act 1986 received, is immediately reported by the Head, EMC to the Unit Head, Zonal Environmental Head, President/ Head Corporate Environment group. President / Head Corporate Environment group. President / Head Corporate Environment group. He is fully responsible for the implementation of all the decisions of the Board, related to the statutory compliances to the environmental regulation and overall improvement of the green image of corporate environment.