16th April, 2024

BJCL / Bhilai / Envt. / 797

To The Regional Director Regional Office, (WZ) MOEFCC, Aranyabhavan, North Block Sector 19, Nava Raipur Atal Nagar Raiur (CG) 492002

Sub: Six Monthly Stack and Ambient Air monitoring Report. Ref: Letter No.F. NO. J.11011/1001/2007-I A II (I) dtd.01-05-2008.

Dear Sir,

We are herewith submitting the Six Monthly test report of Stack and Ambient air quality for the month from October, 2023 to March, 2024 as Annexure 1 & 2. Bhilai Jaypee Grinding Plant, Bhilai has stopped the Cement production due to fund constraints since 29th March, 2022 & Chhattisgarh State Electricity Board has disconnected the electricity connection of Plant from 29th August 2022. This is submitted for your kind information please.

Thanking You

Yours Faithfully

I.P. Srivastava (Sr.GM) Authorized Signatory

For Bhilai Jaypee Grinding Plant, Bhilai (A Unit of Bhilai Jaypee Cement Limited)

CC The Zonal Officer, Central Pollution Control Board, Sahakar Bhawan, III Floor North TT Nagar, BHOPAL-462003

- For kind information pl.

CC Shri Kanwarjeet Singh (IFS) Additional Principal Chief Conservator of Forests Ministry of Environment Forests & Climate Change Regional Office, (West Central Zone) Ground floor, East Wing, New Secretary Building Civil Lines, Nagpur - 440001

- For kind information Pl.

CC: The Member Secretary Chhattisgarh Environment Conservation Board, Paryavas Bhavan, North Block, Sector-19, Naya Raipur (CG) - 492002

-For kind information, Pl.

CC Regional Officer.

- For kind information pl.

Regional Office, C.E. Conservation Board, Bhilai, Durg (CG)

: BSP Premises, Slag Yard Road (Opp. Sector-4, NMOH) Bhilai - 490 001,

Disti -Durg(Chhattisgarh) Exchange-0768-4022255/56, Fax:0788-4022216 Regd. Office : Post Babupur, Satna (M.P.) Pin - 485112 Ph.:+91(7672) 415500L 415600

Head Office : 'JA House', 63 Basant Lok, Vasant Vihar, New Delhi - 110 057 (India)

Ph.: +91 (11) 26141540, 26147411 Fax: +91 (11) 26145389, 26143591

A JV of SAIL & JAIPRAKASH ASSOCIATES



80
Annexure-1 Stack of packing Plant bag finer Shut Shut Shut Shut Shut
Annexure- 1 Stack of plant bag No-4 Shut Shut Shut
Packer No.2 Stack Packer No.2 Stack No.4 No.4 Shut Shut
lan lan
Stack of Packing plant bag filter No3 Shut Shut Shut Shut Shut
Stack packing bag fill bag fil
lant lant
Shut Shut Shut Shut Shut Shut Shut Shut
March, 2024 March, 2024 Packer No. 1 Stack of bag filter No-2 Shut Shut Shut Shut Shut Shut Shut Shut
Plant Plant No-1
Stack of Pant Shut Shut Shut Shut hut
Shut Shut
Month Characteristics Unit Exercise Crocking Plant Shife CL23 Particulate Matter Majnm³ 30
Shut Shut Shut Shut Shut Shut Shut Shut
S. S
THE MAN TO
Mg/Nm³
SULT S
Characteristics Characteristics MINIMUM AAXIMUM VERAGE
aracte aracte UMM UMM GE
MINIMUM AVERAGE
A A A A A A A A A A A A A A A A A A A
Month Month Month Month Month Mar. 24 Feb. 24 Mar. 24
WE FE !

Manager III (Environment)

Shut

Shut

Shut

Shut

	Switch Yard	R QUALITY SO ₂ (µg/M ³)	MONITOR	BHILAI JAY BHI	LAI, DURG	6. (C.G)	D FROM October, 2023 TO March, 2024
Oct-23	Switch Yard	SO ₂ (µg/M ³)	MONITOR NOx	ING RESUL	TS FOR TI	. (6.6)	
Oct-23	Switch Yard	SO ₂ (μg/M ³)	NOx	DMO		IF DEDICA	
	Switch Yard	(µg/M ³)		PIVI 2.5	PM- 10	PERIO	D FROM October, 2023 TO March, 2024
		(µg/M ³)	(µg/M ³)	(µg/M³)	(µg/M³)		Remarks
	0 1			(1-3-11)	(µg/IVI)	(µg/M³)	
	Coal Yard		-	• 7		-	Diana
	Wagon Tippler			i - ii	-		Plant opertion is shut from 29.03.2022 to till date
	Auto Work Shop		-	- '	-		25.36.2022 to till date
Nov.2023	Switch Yard	-	-	-	-	- (4)	
	Coal Yard	-	-	-	-	- 975	
	Wagon Tippler		-	- ,	-	- 80	
1	Auto Work Shop	_	-	-	-	- 1	
Dec.2023	witch Yard	-		-	- :		
	Coal Yard		211-1	-	-		
	Vagon Tippler		-	- 1	-	- 44	
A	uto Work Shop		-	-	· - i,è		
	witch Yard				-	-	
an.2024 Co	oal Yard	- +	-	-		-	
V	agon Tippler	-	-	-	-	_ ***	
Au	ito Work Shop			-	-	-	
S	ritch Yard	-		-	-	-	
b.2024 Co.	al Yard	-	-	-	-	-	
W	gon Tippler	-	-	-	-	-	
	to Work Shop	-	-	-	-	- 7	
Sw Coa	tch Yard	-		-	-	- 1	1.
	l Yard	-	7	-		-	- 0
Wag	gon Tippler	- +	-		-	-	
Auto	Work Shop re Average value of the	-	- 1		- 1 - 1	-	

Note - Electricity connection Disconnected by Chhattisgarh State Electricity Board on 29 August 2022

L.H. GOLAN