

BHILAI JAYPEE CEMENT LIMITED

Registered A/D

Date: 27.04.2018

BJCL/ENV/BMW /2018-19/01

To,
Regional Officer
MP Pollution Control Board
Maihar Bipass, Near RTO office
Dist - Satna (MP)-485001

Sub: Submission of Bio Medical waste disposal Annual report of BJCL (Dispensary).


Ref: BMW Auth. Letter No 309226 dtd. 13/05/2017 valid upto 31/12/2075

Dear Sir,

Please find enclosed herewith the Bio Medical waste disposal Annual report from the month from January 2017 to Dec - 2017 of M/s Bhilai Jaypee Cement Ltd (Dispensary) located at Village-Babupur, District- Satna (MP).

Regards,

Yours faithfully
For Bhilai Jaypee Cement Ltd.
Unit: Hospital


C.K. Shrivastava
General Manager (P&QC)

Plant : Post Babupur, Satna (M.P) Pin -485112 Ph.: +91(7672) 415500, 415600
Regd. Office : Bhilai Township, Bhilai, Durg, Chattisgarh - 490 006
Head. Office : 'JA House', 63, Basant Lok, Vasant Vihar, New Delhi -110 057 (India)
Ph. : +91(11) 26141540, 26147411 Fax: + 91(11) 26145389, 26143591
website : www.bjcl.co.in, CIN : U26940CT2007PLC020250

A JV of SAIL & JAIPRAKASH ASSOCIATES LIMITED



ANNUAL REPORT

[TO be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility(CBWTF)]

Sr No:	Particulars
1.	Particulars of the Occupier
(i)	Name of the authorized person : DR. Rajveer Singh
(ii)	Name of HCF or CBWTF : BHILAI J.P. C EMENT LTD DISPENSARY
(iii)	Address for Correspondence : VILLAGE POST. BABUPUR , BABUPUR-485112, Dist: Satna, Tal: Raghurajnagar
(iv)	Address of Facility : Indo Water Management & Pollution Control Corporation Satna , Dist: -
(v)	Tel. No, Fax. No : 9575303400
(vi)	E-mail ID : bjclbabupur.dispensary@jalindia.co.
(vii)	URL or Website : www.bjcl.co.in
(viii)	GPS coordinates of HCF or CBWTF: Leti: 24.6667, Long: 80.9539
(ix)	Ownership of HCF or CBWTF : Private
(x)	Status of Authorization under BMW Rules: Auth No: BMW-309226, Valid Upto: 12/31/2075
(xi)	Status of Consent under Water, Air Act : Consent No: , Valid Upto: 1/1/1900

Type of Health Care Facility

2	(i) Bedded Hospital	0
2	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	OTH-Other
2	(iii) License number and its date of expiry	BMW309226 valid upto 31.12.2075

Quantity of waste generated or disposed in Kg per annum(on monthly average basis)

4	(i) Yellow Category	31.64
4	(ii) Red Category	31.79
4	(iii) White Category	12.28
4	(iv) Blue Category	26
4	(v) General Solid Waste	2

Details of the Storage, treatment, transportation, processing and Disposal Facility

5	(i) Details of the on-site storage facility	As per MPPCB guidelines
5	(ii) Treatment Facility	ACT-Autoclaving, Chemical Treatment, NEE-Needle Cutter
5	(iii) Quantity of recyclable waste sold to authorized recyclers after treatment in kg per annum	0.000
5	(iv) No. of vehicles used for collection and transportation of biomedical waste	1
5	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum	n.a
5	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & Pollution Control Corporation

BMW management committee

6	Do you have bio-medical waste management committee ? If yes, attach minutes of the meetings held during the reporting period	No.
---	--	-----

Details trainings conducted on BMW

7	(i) Number of trainings conducted on BMW Management	02
---	---	----

ANNUAL REPORT


7	(ii) Number of Personnel trained	5
7	(iii) Number of personnel trained at the time of induction	0
7	(iv) Number of personnel not undergone any training so far	0
7	(v) Whether standard manual for training is available	No
7	(vi) Any other information	N.A

Details of the accident occurred during the year

8	(i) Number of Accident occurred	0
8	(ii) Number of the persons affected	0
8	(iii) Remedial Action taken (Please attach details if any)	n.a
8	(iv) any Fatality Occurred, details	0

9	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	No.	Not applicable, We have send BMW to CBTF SATNA
9	Details of Continuous online emission monitoring systems installed	Not applicable, We have send BMW to CBTF SATNA	
10	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	0	
11	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	No.	Not applicable, We have send BMW to CBTF SATNA
12	Any other relevant information	BMW Send to CBTF Satna	

Certified that the above report is for the period from Jan - 2017 to Dec - 2017



Name and Sign of The Head of IICF

Date: 24/04/18

Place: Satna