

BJCL/ENV/BMW /2021/01

To,  
The Regional Officer  
MP Pollution Control Board  
Rewa Maihar Bi-pass Road,  
Dist - Satna (MP)-485001

**Sub: Submission of Bio Medical waste disposal Annual report of 2021 of BJCL Dispensary .**

**Ref: BMW Auth. Letter No. 309226/MPPCB/Satna /2015 dtd.23.05.2017**

Dear Sir,  
Please find enclosed herewith the Bio Medical waste disposal Annual report for the period from January 2021 to Dec- 2021 of M/s Bhilai Jaypee Cement Ltd ( Dispensary) located at Village- Babupur, District- Satna (MP). Submitted for kind information pl.

Regards,

Yours faithfully  
For Bhilai Jaypee Cement Ltd.  
Unit: Dispensary



Dr. Rajveer Singh

Plant : Post Babupur, Satna (M.P) Pin -485112 Ph.:+ 91(7672)415500,415600  
Regd. Office : Bhilai Township, Bhilai , Durg, Chattisgarh - 490 006  
Head. Office : 'JA House', 63, Basant Lok, Vasant Vihar, New Delhi -110 057 (India)  
Ph.: +91 (11) 26141540, 26147411 Fax: + 91 (11) 26145389, 26143591  
website : [www.bjcl.co.in](http://www.bjcl.co.in), CIN : U26940CT2007PLCO20250

A JV of SAIL & JAIPRAKASH ASSOCIATES LIMITED



**BIO-MEDICAL WASTE (MANAGEMENT & HANDLING)  
FORM IV (See rule 13)**

**BHILAI J.P. C EMENT LTD DISPENSARY,  
VILLAGE POST. BABUPUR ,  
BABUPUR - 485112, DIST : Satna  
Mobile No: 9575303400**

**ANNUAL REPORT**

[TO be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility(CBWTF)]

<b>Sr No:</b>	<b>Particulars</b>
1.	Particulars of the Occupier
(i)	Name of the authorized person : DR. Rajveer Singh
(ii)	Name of HCF or CBWTF : BHILAI J.P. C EMENT LTD DISPENSARY
(iii)	Address for Correspondence : VILLAGE POST. BABUPUR , BABUPUR-485112, Dist: Satna, Tal: Raghurajnagar
(iv)	Address of Facility : Indo Water Management & Pollution Control Corporation Satna , Dist: -
(v)	Tel. No, Fax. No : 9575303400
(vi)	E-mail ID : bjclbabupur.dispensary@jalindia.co.
(vii)	URL or Website : www.bjcl.co.in
(viii)	GPS coordinates of HCF or CBWTF: Leti: 24.6667, Long: 80.9539
(ix)	Ownership of HCF or CBWTF : Private
(x)	Status of Authorization under BMW Rules: Auth No: BMW-309226, Valid Upto: 12/31/2075
(xi)	Status of Consent under Water, Air Act : Consent No: , Valid Upto: 1/1/1900

**Type of Health Care Facility**

2	(i) Bedded Hospital	0
2	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	OTH-Other
2	(iii) License number and its date of expiry	BMW-309226 valid upto 31.12.2075

**Quantity of waste generated or disposed in Kg per annum(on monthly average basis)**

4	(i) Yellow Category	3.4
4	(ii) Red Category	1.434
4	(iii) White Category	1.703
4	(iv) Blue Category	3.445
4	(v) General Solid Waste	20.000

**Details of the Storage, treatment, transportation, processing and Disposal Facility**

5	(i) Details of the on-site storage facility	NONE
5	(ii) Treatment Facility	ACT-Autoclaving, Chemical Treatment, NEE-Needle Cutter
5	(iii) Quantity of recyclable waste sold to authorized recyclers after treatment in kg per annum.	0.000
5	(iv) No. of vehicles used for collection and transportation of biomedical waste	01
5	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum	N.A
5	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & Pollution Control Corporation

**BMW management committee**

6	Do you have bio-medical waste management committee ? If yes, attach minutes of the meetings held during the reporting period	Yes	Training program conducted
---	--	-----	----------------------------

**Details trainings conducted on BMW**

7	(i) Number of trainings conducted on BMW Management	03
---	---	----



BIO-MEDICAL WASTE (MANAGEMENT & HANDLING)  
FORM IV (See rule 13)

BHILAI J.P. C EMENT LTD DISPENSARY,  
VILLAGE POST. BABUPUR ,  
BABUPUR - 485112, DIST : Satna  
Mobile No: 9575303400

**ANNUAL REPORT**

7	(ii) Number of Personnel trained	25	
7	(iii) Number of personnel trained at the time of induction	25	
7	(iv) Number of personnel not undergone any training so far	0	
7	(v) Whether standard manual for training is available	Yes	
7	(vi) Any other information	n.a	

**Details of the accident occurred during the year**

8	(i) Number of Accident occurred	0	
8	(ii) Number of the persons affected	0	
8	(iii) Remedial Action taken (Please attach details if any)	NA	
8	(iv) any Fatality Occurred , details	NO	

9	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	Yes	NOT APPLICABLE
9	Details of Cuntinuous online emission monitoring systems installed	NA	
10	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	0	
11	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	Yes	comply BMW Guidelines
12	Any other relevant information	N.A	

Certified that the above report is for the period from

Date: 15.01.2022

Place: BJCL, Satna

Name and Sign of The Head of HCF